



# table of contents

outdoor product specifications

THE LIBERTY COLLECTION	28
PROFESSIONAL GRILLS	34
OUTDOOR KITCHEN ESSENTIALS	40
OUTDOOR KITCHEN ACCESSORIES	50



The hugely popular Liberty Collection has added new components so you can further customize your outdoor kitchen island. And with its modular design, you can see it today and cook on it tonight.

With the addition of Bend Units, the Liberty Collection offers extended freedom to design your island exactly how you want it for your space (model: CAD-BND). Solid Surface top sold separately (model: CAD-BNDT).

Finish your island with this Back Corner bracket and Solid Surface top. The Back Corner bracket (model: BND-CNR) with Solid Surface top offers increased seating and prep area. Solid Surface top sold separately (model: BND-CNRT).

# outdoor *Liberty Collection*



## All-Grill Unit



*BFG-30G 30" All-Grill with optional cart, side shelves, wood inserts and back bar*

The All-Grill unit of the Liberty Collection is a fully featured grill, which delivers professional performance and delicious results. Precision ported, U-shaped 304 grade stainless steel burners rated at 25,000 BTU's per burner offer powerful performance and control.

Our patented Grease Management System® reduces flare-ups by effectively channeling oil and grease away from the flame while grilling. A 9-volt Battery Ignition ensures safe and efficient grill lighting every time and Double-Sided Cast 304 Grade Stainless Steel Grilling Grates feature one side with a gentle radius for support and handling while the other side is W-shaped for maximum grease capture while leaving perfect sear lines. Ceramic Radiant Technology provides intense, even heat.



### ADDITIONAL FEATURES

- Large 525 sq. in. grilling surface
- Sear setting
- Patented Grease Management System® reduces flare-ups
- Ceramic Radiant Technology ensures a completely evenly heated cooking surface
- 2 x 25,000 BTU burners
- Flat stainless steel cover included

## All-Grill Dimensions (with optional grill cart)

Grill Model: BFG-30G

Cart Model: CAD-30 (shown with optional side shelves)




MODEL NUMBER	BFG-30BG
TOTAL COOKING AREA	525 SQ. INCHES
GRILL BURNERS	2 @ 25,000 BTU/HR
DOUBLE-SIDED GRILL GRATES	STAINLESS STEEL
GREASE MANAGEMENT SYSTEM*	✓
SHIPPING WEIGHT (GRILL HEAD)	120 LBS.
SHIPPING WEIGHT (OPTIONAL CART)	120 LBS.
SHIPPING DIMENSIONS (GRILL HEAD) (HEIGHT X WIDTH X DEPTH)	32" X 32" X 16"

## All-Grill Island Preparation

Grill Model: BFG-30G

3" to non-combustible construction and 12" min. combustible construction



\* Standard cut-out dimensions for non-combustible enclosure

\*\* Insulated jacket cut-out dimensions for combustible enclosure

△ Island installation to use minimum of 3 vents providing 10 square inches per vent (typical)

### Ordering Data:

Please specify gas type (natural or propane) when ordering

### Gas Requirements:

#### Natural

- 1/2" NPT male with a 3/8" flare adapter
- Operational Pressure: 4" W.C.
- Supply Pressure: 6" to 9" W.C.

#### Propane

- 1/2" NPT male with a 3/8" flare adapter
- LP hose with a quick disconnect & fitting are shipped connected
- Operational Pressure: 11" W.C.
- Supply Pressure: 11" to 14" W.C.

### Power Requirements:

- 9V battery

### Island Ventilation Requirements:

It is recommended that adequate ventilation holes must be provided in the base of an enclosure in the event of a gas leak.

### Grill Placement:

DO NOT build grill under overhead unprotected combustible construction. Use only in well-ventilated areas. These units are for outdoor use only. If located in a consistently windy area (oceanfront, mountaintop, etc.) a wind break will be required.

### Conversion Kits:

NG to LP and LP to NG conversion kits are available from your dealer.

### Accessories

- Stainless Steel Grill Cart (CAD-30)
- Single or double side burners for built-in application
- Stainless Steel Access Doors for built-in application
- Stainless Steel Access Drawers for built-in application
- Insulated Jacket for built-in application
- Grilling Tool Set
- Brazilian Cherry Chopping Board that fits in cart optional side-shelf
- Drop-on Griddle Plate
- Vinyl Grill Cover

We encourage you to find out more about these features and learn how they can make your cooking experience more enjoyable by visiting our learning page at: [www.dcsappliances.com](http://www.dcsappliances.com).

Because of continuing product improvement these specifications are subject to change without notice.

# outdoor *Liberty Collection*



## Dual Side Burner/Griddle Unit



*BFG-30BGD 30" Dual Side Burner/Griddle with optional cart, side shelves, wood inserts and back bar*


With the Dual Side Burner/Griddle unit of the Liberty Collection you have the ability to prepare delicious dishes that are not customarily cooked outside. Add pancakes and bacon to your outdoor breakfast menu with ease using the large griddle surface. This unit even allows you to effortlessly host an omelet bar in your outdoor kitchen.

### ADDITIONAL FEATURES:

- 2 x 17,000 BTU side burners
- Platform style grates allow easy movement from one burner to the other
- 12,000 BTU griddle plate
- Large 15-3/4" x 11" griddle plate
- Flat stainless steel covers included

# Dual Side Burner/Griddle Dimensions (with optional grill cart)


Dual Side Burner/Griddle Model: BFG-30BGD  
Cart Model: CAD-30 (shown with optional side shelves)



MODEL NUMBER	BFG-30BGD
GRIDDLE	12,000 BTU/HR
SIDE BURNERS	2 @ 17,000 BTU/HR
SHIPPING WEIGHT (SIDE BURNER/GRIDDLE HEAD)	120 LBS.
SHIPPING WEIGHT (OPTIONAL CART)	120 LBS.
SHIPPING DIMENSIONS (SIDE BURNER/GRIDDLE HEAD) (HEIGHT X WIDTH X DEPTH)	32" X 32" X 16"

# Dual Side Burner/Griddle Island Preparation

Dual Side Burner/Griddle Model: BFG-30BGD



\* Standard cut-out dimensions for non-combustible enclosure  
\*\* Insulated jacket cut-out dimensions for combustible enclosure  
Δ Island installation to use minimum of 3 vents providing 10 square inches per vent (typical)

**Ordering Data:**  
Please specify gas type (natural or propane) when ordering

- Gas Requirements:**
- Natural**
- 1/2" NPT male with a 3/8" flare adapter
  - Operational Pressure: 4" W.C.
  - Supply Pressure: 6" to 9" W.C.
- Propane**
- 1/2" NPT male with a 3/8" flare adapter
  - LP hose with a quick disconnect & fitting are shipped connected
  - Operational Pressure: 11" W.C.
  - Supply Pressure: 11" to 14" W.C.

**Power Requirements:**

- 9V battery

**Island Ventilation Requirements:**  
It is recommended that adequate ventilation holes must be provided in the base of an enclosure in the event of a gas leak.

**Side burner/Griddle Placement:**  
DO NOT build side burner/griddle under overhead unprotected combustible construction. Use only in well-ventilated areas. These units are for outdoor use only. If located in a consistently windy area (oceanfront, mountaintop, etc.) a wind break will be required.

**Conversion Kits:**  
NG to LP and LP to NG conversion kits are available from your dealer.

- Accessories**
- Stainless Steel Grill Cart (CAD-30)
  - Single or double side burners for built-in application
  - Stainless Steel Access Doors for built-in application
  - Stainless Steel Access Drawers for built-in application
  - Insulated Jacket for built-in application
  - Brazilian Cherry Chopping Board that fits in cart optional side-shelf
  - Vinyl Grill Cover
  - Wok and Wok Ring for use on side burners

We encourage you to find out more about these features and learn how they can make your cooking experience more enjoyable by visiting our learning page at: [www.dcsappliances.com](http://www.dcsappliances.com).

Because of continuing product improvement these specifications are subject to change without notice.

## Dual Side Burner/Sink Unit



*BFG-30BS 30" Dual Side Burner/Sink with optional cart, side shelves, wood inserts and back bar*

Everyone desires all of the conveniences they have in their indoor kitchen when they are cooking outdoors. Now, with the Liberty Collection's Dual Side Burner/Sink unit you can have them. With a sink fully integrated into your outdoor appliances you can easily fill pots and wash your hands. Suitably placed next to the dual side burners, filling your pot no longer requires a trip indoors.



### ADDITIONAL FEATURES:

- 2 x 17,000 BTU side burners
- Platform style grates allow easy movement from one burner to the other
- Sink can be hard plumbed or portable
- Flat stainless steel covers included

## Dual Side Burner/Sink Dimensions (with optional grill cart)

Dual Side Burner/Sink Model: BFG-30BS


Cart Model: CAD-30 (shown with optional side shelves)



MODEL NUMBER	BFG-30BS
SIDE BURNERS	2 @ 17,000 BTU/HR
SHIPPING WEIGHT (SIDE BURNER/SINK HEAD)	120 LBS.
SHIPPING WEIGHT (OPTIONAL CART)	120 LBS.
SHIPPING DIMENSIONS (SIDE BURNER/SINK HEAD) (HEIGHT X WIDTH X DEPTH)	32" X 32" X 16"

## Dual Side Burner/Sink Island Preparation

Dual Side Burner/Sink Model: BFG-30BS



\* Standard cut-out dimensions for non-combustible enclosure

\*\* Insulated jacket cut-out dimensions for combustible enclosure

Δ Island installation to use minimum of 3 vents providing 10 square inches per vent (typical)

### Ordering Data:

Please specify gas type (natural or propane) when ordering

### Gas Requirements:

#### Natural

- 1/2" NPT male with a 3/8" flare adapter
- Operational Pressure: 4" W.C.
- Supply Pressure: 6" to 9" W.C.

#### Propane

- 1/2" NPT male with a 3/8" flare adapter
- LP hose with a quick disconnect & fitting are shipped connected
- Operational Pressure: 10" W.C.
- Supply Pressure: 11" to 14" W.C.

### Power Requirements:

- 9V battery

### Island Ventilation Requirements:

It is recommended that adequate ventilation holes must be provided in the base of an enclosure in the event of a gas leak.

### Side Burner/Sink Placement:

DO NOT build side burner/sink under overhead unprotected combustible construction. Use only in well-ventilated areas. These units are for outdoor use only. If located in a consistently windy area (oceanfront, mountaintop, etc.) a wind break will be required.

### Conversion Kits:

NG to LP and LP to NG conversion kits are available from your dealer.

### Accessories

- Stainless Steel Cart (CAD-30)
- Dual side burners for built-in application
- Stainless Steel Access Doors for built-in application
- Stainless Steel Access Drawers for built-in application
- Insulated Jacket for built-in application
- Brazilian Cherry Chopping Board that fits in cart optional side-shelf
- Vinyl Grill Cover
- Wok and Wok Ring for use on side burners

We encourage you to find out more about these features and learn how they can make your cooking experience more enjoyable by visiting our learning page at: [www.dcsappliances.com](http://www.dcsappliances.com).

Because of continuing product improvement these specifications are subject to change without notice.



## 48" Professional Grill



*BGB48-BQAR 48" Grill with Rotisserie and optional cart*


*BGB48-BQR 48" Grill with Rotisserie and Integrated Sealed Side Burners (as shown)*

The ultimate in outdoor cooking. This fully featured grill delivers professional performance and delicious results. Precision ported, U-shaped 304 grade stainless steel burners rated at 25,000 BTU's per burner offer powerful performance and control. The patented Smart Beam® grill light perfects grilling at night with a 50-watt halogen light integrated into the patented rotisserie motor that is capable of illuminating the entire grilling surface. Our patented Grease Management System® reduces flare-ups by effectively channeling oil and grease away from the flame while grilling. A 9-volt Battery Ignition ensures safe and efficient grill lighting every time and Double-Sided Cast 304 Grade Stainless Steel Grilling Grates feature one side with a gentle radius for support and handling while the other side is W-shaped for maximum grease capture while leaving perfect sear lines. Ceramic Radiant Technology provides intense, even heat. The Dedicated Infrared Rotisserie Burner supplies controllable searing heat. The heavy-duty Rotisserie Motor with Stainless Steel Rod and Forks can accommodate up to 50 pounds. Patented design features of the grill are complemented by the DCS original styled cart with robust side shelf supports, drop-in serving trays, and large storage drawers.


### ADDITIONAL FEATURES:

- Smoker tray with dedicated 3,500-BTU burner
- Removable stainless steel warming rack
- Optional integrated sealed side burners
- Available for built-in or on cart applications
- Designer metal control knobs
- Removable stainless steel drip tray





BGB48-BQAR





BGB48-BQR

## 48" Grill Dimensions (with optional grill cart)

Grill Model: BGB48-BQAR



Cart Model: CAD-48



## 48" Grill Dimensions (with optional grill cart)

Grill Model: BGB48-BQR


Cart Model: CAD-48



MODEL NUMBER	BGB48-BQAR	BGB48-BQR
TOTAL COOKING AREA	1167 SQ. INCHES	1123 SQ. INCHES
PRIMARY COOKING AREA (GRILL AREA)	840 SQ. INCHES	638 SQ. INCHES
SECONDARY COOKING AREA (WARMING RACK)	327 SQ. INCHES	241 SQ. INCHES
TWO SIDE BURNERS		244 SQ. INCHES
GRILL BURNERS	4 @ 25,000 BTU/HR	3 @ 25,000 BTU/HR
INTEGRATED SIDE BURNERS		2 @ 17,000 BTU/HR
INTEGRATED ROTISSERIE BURNER	18,000 BTU/HR	14,000 BTU/HR
SMOKER BURNER	3,500 BTU/HR	3,500 BTU/HR
DOUBLE-SIDED GRILL GRATES	304 GRADE STAINLESS STEEL	304 GRADE STAINLESS STEEL
GREASE MANAGEMENT SYSTEM*	✓	✓
SHIPPING WEIGHT (GRILL HEAD)	365 LBS.	345 LBS
SHIPPING WEIGHT (OPTIONAL CART)	190 LBS.	190 LBS.
SHIPPING DIMENSIONS (HEIGHT X WIDTH X DEPTH)	32" X 52" X 31-1/2"	32" X 52" X 31-1/2"

## 48" Grill Island Preparation

Grill Models: BGB48-BQAR/BGB48-BQR



- \* Standard cut-out dimensions for non-combustible enclosure
- \*\* Insulated jacket cut-out dimensions for combustible enclosure
- △ Island installation to use minimum of 3 vents providing 10 square inches per vent (typical)

### Ordering Data:

Please specify gas type (natural or propane) when ordering

### Gas Requirements:

#### Natural

- 1/2" NPT male with a 3/8" flare adapter
- Operational Pressure: 4" W.C.
- Supply Pressure: 6" to 9" W.C.

#### Propane

- 1/2" NPT male with a 3/8" flare adapter
- LP hose with a quick disconnect & fitting are shipped connected
- Operational Pressure: 10" W.C.
- Supply Pressure: 11" to 14" W.C.

### Power Requirements:

- 120V 60Hz for models with Rotisserie Motor.

### Island Ventilation Requirements:

It is recommended that adequate ventilation holes must be provided in the base of an enclosure in the event of a gas leak.

### Grill Placement:

DO NOT build grill under overhead unprotected combustible construction. Use only in well-ventilated areas. These units are for outdoor use only. If located in a consistently windy area (oceanfront, mountaintop, etc.) a wind break will be required.

### Conversion Kits:

NG to LP and LP to NG conversion kits are available from your dealer.

### Accessories

- Stainless Steel Grill Cart (CAD-48)
- Single or double side burners for built-in application
- Stainless Steel Access Doors for built-in application
- Stainless Steel Access Drawers for built-in application
- Insulated Jacket for built-in application
- Grilling Tool Set
- Brazilian Cherry Chopping Board that fits in cart side-shelf
- Drop-on Griddle Plate
- Vinyl Grill Cover
- Wok and Wok Ring for use on side burners

We encourage you to find out more about these features and learn how they can make your cooking experience more enjoyable by visiting our learning page at: [www.dcsappliances.com](http://www.dcsappliances.com).

Because of continuing product improvement these specifications are subject to change without notice.

## 36" Professional Grill




*BGB36-BQAR 36" Grill with Rotisserie and optional cart (as shown)*

Tired of trying to find the hot spot? DCS allows you to control the power of your grill as precisely as you've always dreamed. Precision ported, U-shaped 304 grade stainless steel burners rated at 25,000 BTU's per burner offer powerful performance and control. The patented Smart Beam® grill light perfects grilling at night with a 50-watt halogen light integrated into the rotisserie motor that is capable of illuminating the entire grilling surface. Our patented Grease Management System® reduces flare-ups by effectively channeling oil and grease away from the flame while grilling. A 9-volt Battery Ignition insures safe and efficient grill lighting every time and Double-Sided Cast 304 Grade Stainless Steel Grilling Grates feature one side with a gentle radius for support and handling while the other side is W-shaped for maximum grease capture while leaving perfect sear lines. Ceramic Radiant Technology provides intense, even heat. The Dedicated Infrared Rotisserie Burner supplies controllable searing heat. The heavy-duty Rotisserie Motor with Stainless Steel Rod and Forks can accommodate up to 50 pounds. Patented design features of the grill are complemented by the DCS original styled cart with unique robust side shelf supports, drop-in serving trays, and large storage drawers.

### ADDITIONAL FEATURES:

- Smoker tray with dedicated 3,500-BTU burner
- Removable stainless steel warming rack
- Available for built-in or on cart applications
- Designer metal control knobs
- Removable stainless steel drip tray





BGB36-BQAR

## 36" Grill Dimensions (with optional grill cart)

Grill Model: BGB36-BQAR


Cart Model: CAD-36



MODEL NUMBER	BGB36-BQAR
TOTAL COOKING AREA	879 SQ. INCHES
PRIMARY COOKING AREA (GRILL AREA)	638 SQ. INCHES
SECONDARY COOKING AREA (WARMING RACK)	241 SQ. INCHES
GRILL BURNERS	3 @ 25,000 BTU/HR
INTEGRATED ROTISSERIE BURNER	14,000 BTU/HR
SMOKER BURNER	3,500 BTU/HR
DOUBLE-SIDED GRILL GRATES	STAINLESS STEEL
GREASE MANAGEMENT SYSTEM®	✓
SHIPPING WEIGHT (GRILL HEAD)	284 LBS.
SHIPPING WEIGHT (OPTIONAL CART)	115 LBS.
SHIPPING DIMENSIONS (HEIGHT X WIDTH X DEPTH)	31" X 40" X 31-1/2"

## 36" Grill Island Preparation

Grill Model: BGB36-BQAR



- \* Standard cut-out dimensions for non-combustible enclosure
- \*\* Insulated jacket cut-out dimensions for combustible enclosure
- △ Island installation to use minimum of 3 vents providing 10 square inches per vent (typical).

### Ordering Data:

Please specify gas type (natural or propane) when ordering

### Gas Requirements:

#### Natural

- 1/2" NPT male with a 3/8" flare adapter
- Operational Pressure: 4" W.C.
- Supply Pressure: 6" to 9" W.C.

#### Propane

- 1/2" NPT male with a 3/8" flare adapter
- LP hose with a quick disconnect & fitting are shipped connected
- Operational Pressure: 10" W.C.
- Supply Pressure: 11" to 14" W.C.

### Power Requirements:

- 120V 60Hz for models with Rotisserie Motor.

### Island Ventilation Requirements:

It is recommended that adequate ventilation holes must be provided in the base of an enclosure in the event of a gas leak.

### Grill Placement:

DO NOT build grill under overhead unprotected combustible construction. Use only in well-ventilated areas. These units are for outdoor use only. If located in a consistently windy area (oceanfront, mountaintop, etc.) a wind break will be required.

### Conversion Kits:

NG to LP and LP to NG conversion kits are available from your dealer.

### Accessories

- Stainless Steel Grill Cart (CAD-36)
- Single or double side burners for built-in application
- Stainless Steel Access Doors for built-in application
- Stainless Steel Access Drawers for built-in application
- Insulated Jacket for built-in application
- Grilling Tool Set
- Brazilian Cherry Chopping Board that fits in cart side-shelf
- Drop-on Griddle Plate
- Vinyl Grill Cover
- Wok and Wok Ring for use on side burners

We encourage you to find out more about these features and learn how they can make your cooking experience more enjoyable by visiting our learning page at: [www.dcsappliances.com](http://www.dcsappliances.com).

Because of continuing product improvement these specifications are subject to change without notice.

## 30" Professional Grill




*BGB30-BQR 30" Grill with Rotisserie, optional sealed side burner and cart (as shown)*

Exceptional performance with two U-shaped Stainless Steel Burners rated at 25,000 BTU's per burner, the patented Smart Beam® grill light perfects grilling at night with a 50-watt halogen light integrated into the rotisserie motor that is capable of illuminating the entire grilling surface. A 9-volt Battery Ignition for safe and efficient grill lighting every time and durable, weatherproof rod-shaped Stainless Steel Grilling Grates. The Dedicated Infrared Rotisserie Burner supplies controllable searing heat. The heavy-duty Rotisserie Motor with Stainless Steel Rod and Forks can accommodate up to 50 pounds. Ceramic Radiant Technology provides intense, even heat. Patented design features of the grill are complemented by the DCS original styled cart with unique robust side shelf support, drop-in serving trays, and exclusive wheel hub cap design.

### ADDITIONAL FEATURES:

- Removable stainless steel warming rack
- Designer metal control knobs
- Removable stainless steel drip tray
- Available for built-in or on cart applications
- Optional stainless steel grill cart
- Optional additional side shelf





BGB30-BQR

## 30" Grill Dimensions (with optional grill cart)

Grill Model: BGB30-BQR


Cart Models: BGA30-CSS/CAD-30



MODEL NUMBER	BGB30-BQR
TOTAL COOKING AREA	760 SQ. INCHES
PRIMARY COOKING AREA (GRILL AREA)	565 SQ. INCHES
SECONDARY COOKING AREA (WARMING RACK)	195 SQ. INCHES
GRILL BURNERS	2 @ 25,000 BTU/HR
OPTIONAL SIDE BURNER (CART MOUNT)	1 OR 2 @ 17,000 BTU/HR
INTEGRATED ROTISSERIE BURNER	1 @ 14,000 BTU/HR
GRILL GRATES	STAINLESS STEEL
SHIPPING WEIGHT (GRILL HEAD)	164 LBS.
SHIPPING WEIGHT (OPTIONAL CART)	95 LBS.
SHIPPING DIMENSIONS (HEIGHT X WIDTH X DEPTH)	28" X 32-1/2" X 29-1/2"

## 30" Grill Island Preparation

Grill Model: BGB30-BQR



- \* Standard cut-out dimensions for non-combustible enclosure  
 \*\* Insulated jacket cut-out dimensions for combustible enclosure  
 △ Island installation to use minimum of 3 vents providing 10 square inches per vent (typical).

### Ordering Data:

Please specify gas type (natural or propane) when ordering

### Gas Requirements:

#### Natural

- 1/2" NPT male with a 3/8" flare adapter
- Operational Pressure: 4" W.C.
- Supply Pressure: 6" to 9" W.C.

#### Propane

- 1/2" NPT male with a 3/8" flare adapter
- LP hose with a quick disconnect & fitting are shipped connected
- Operational Pressure: 10" W.C.
- Supply Pressure: 11" to 14" W.C.

### Power Requirements:

- 120V 60Hz for models with Rotisserie Motor.

### Island Ventilation Requirements:

It is recommended that adequate ventilation holes must be provided in the base of an enclosure in the event of a gas leak.

### Grill Placement:

DO NOT build grill under overhead unprotected combustible construction. Use only in well-ventilated areas. These units are for outdoor use only. If located in a consistently windy area (oceanfront, mountaintop, etc.) a wind break will be required.

### Conversion Kits:

NG to LP and LP to NG conversion kits are available from your dealer.

### Accessories

- Stainless Steel Grill Cart (CAD-30, BGB30-CSS)
- Single or double side burners for built-in application
- Stainless Steel Access Doors for built-in application
- Stainless Steel Access Drawers for built-in application
- Insulated Jacket for built-in application
- Grilling Tool Set
- Brazilian Cherry Chopping Board that fits in cart side-shelf
- Drop-on Griddle Plate
- Vinyl Grill Cover
- Wok and Wok Ring for use on side burners

We encourage you to find out more about these features and learn how they can make your cooking experience more enjoyable by visiting our learning page at: [www.dcsappliances.com](http://www.dcsappliances.com).

Because of continuing product improvement these specifications are subject to change without notice.

## Professional Sealed Side Burners



*BGB132-BI Double Side Burners, Built-in (as shown)*

Every chef wants the option of preparing a delicious side dish to accompany a culinary masterpiece. For this, DCS offers Professional Sealed Side Burners for built-in application and for 30" grill cart mount application. Constructed of heavy stainless steel, DCS side burners rated at a powerful 17,000 Btu's, are available in single or double burner configurations. Features include battery ignition, stainless steel grate cover and, of course, the same sleek design as DCS professional grills.

### ADDITIONAL FEATURES:

- Stainless steel grate cover included
- Removable stainless steel drip tray
- Designer metal control knobs
- See page 43 for available configurations

## Outdoor Warming Drawer




*WD-27-SS-OD 27" Outdoor Warming Drawer (as shown)*

Keep cooked foods perfectly warm until dinner is completely ready with the DCS Outdoor Warming Drawer. Our warming drawer includes a removable stainless steel shelf. That means there is enough space for up to 6 standard-sized dinner plates. With an expansive 1.6 cubic feet of space, thermostatically controlled temperature ranges from 175 to 230 degrees, dinner will always be ready when you are.

### ADDITIONAL FEATURES:


- Removable stainless steel shelf/serving tray
- 500 watts of power input
- Outdoor UL approval






## Built-in Side Burner Dimensions

BGB131-BI Single Side Burner




BGB132-BI Double Side Burner




## 30" Cart Mount Side Burner Dimensions

BGB131 Single Side Burner




BGB132 Double Side Burner



NOTE: Cart Mount Side Burners are not designed for built-in applications.

## Professional Side Burner Island Preparation



MODEL	A	B
BGB131-BI	12"	6" min.
BGB132-BI	22-3/8"	6" min.

MODEL NUMBER	BGB131	BGB131-BI	BGB132	BGB132-BI
30" CART MOUNT	✓		✓	
BUILT-IN		✓		✓
SIDE BURNER(S)	1 @ 17,000 Btu/hr	1 @ 17,000 Btu/hr	2 @ 17,000 Btu/hr	2 @ 17,000 Btu/hr
SHIPPING WEIGHT (LBS)	35.4	35.8	60.6	64.0
SHIPPING DIMENSIONS (HEIGHT X WIDTH X DEPTH)	13.5 x 14.5 x 19	13.5 x 14.5 x 19	16 x 18 x 30	16 x 18 x 30

Ordering Data: Please specify gas type (natural or propane) when ordering.

### Gas Requirements:



#### Natural

- 1/2" NPT male with a 3/8" flare adapter
- Operational Pressure: 4" W.C.
- Supply Pressure: 6" to 9" W.C.


#### Propane

- 1/2" NPT male with a 3/8" flare adapter
- Operational Pressure: 10" W.C.
- Supply Pressure: 11" to 14" W.C.

## Warming Drawer Dimensions



## Warming Drawer Island Preparation



MODEL NUMBER	WD-27-SS-OD
DRAWER SPACE	1.6 CUBIC FEET
REMOVABLE SHELF/SERVING TRAY	✓
TYPE 304 STAINLESS STEEL	✓

### Power Requirements:

- 120V 60Hz
- 3 wire
- 15 amp circuit



## 24" Outdoor Refrigerator and Beer Dispenser



*RF24R 24" Outdoor Refrigerator (as shown)*

Wouldn't it be easier to have access to a large refrigerator in your outdoor kitchen when you're ready for a cold beverage or want to keep a salad fresh? The DCS Outdoor Refrigerator is constructed of stainless steel with an expansive 6.1 cubic feet of space that includes two glass shelves and a metal top shelf. Standard features also include an interior light. It's a necessity in the well-appointed outdoor kitchen.

### ADDITIONAL FEATURES:

- Automatic defrost
- Interior light
- Optional caster kit available



*RF24T 24" Outdoor Beer Dispenser (as shown)*

Whether it is the first or final touch to your DCS outdoor kitchen, the DCS Outdoor Beer Dispenser is an ultimate indulgence in entertaining. The draft arm, hoses, regulator, CO<sub>2</sub> Tank and Drip Tray are included. You simply need to add beer. The outdoor beer dispenser is the perfect compliment to your DCS professional outdoor kitchen.

### ADDITIONAL FEATURES:

- Optional caster kit available
- Optional mug rail available
- Holds 1/2 or 1/4 keg



## Outdoor Refrigerated Drawers and Ice Maker



*RF24D Outdoor Refrigerated Drawers (as shown)*

### FEATURES:

- Fault system operates in real time to actively maintain optimal preservation conditions
- Digital touchpad controls and LED display
- Full auto defrost
- Holiday mode
- Hygienic stainless steel drawer interiors
- Full extension runners
- Extra deep lower drawer allows vertical storage of two-liter bottles and wine bottles



*RF15I Ice Maker (as shown)*


A seemingly limitless supply of ice on tap for any occasion. Our ice maker makes up to 35 pounds a day of clear ice.

### ADDITIONAL FEATURES:

- Produces and stores up to 35 lbs of restaurant quality ice a day
- Appropriate for use in outdoor temperatures from 45° to 100° F
- Full auto defrost
- Requires gravity drain



## Outdoor Beer Dispenser Dimensions




AC Interface

MODEL NUMBER	RF24T
UL APPROVED	✓
AVAILABLE FREESTANDING OR BUILT-IN	✓

### Power Requirements:


- 120V 60Hz
- 1800 watt
- 3 wire
- 15 amp circuit

## Island Preparation



- \* Standard cut-out dimensions
- \*\* Cut-out dimensions with side trim

## Outdoor Refrigerator Dimensions




AC Interface

MODEL NUMBER	RF24R
UL APPROVED	✓
INTERIOR SPACE	6.1 CU. FT.
AUTO DEFROST	✓
AVAILABLE FREESTANDING OR BUILT-IN	✓

### Power Requirements:


- 120V 60Hz
- 1800 watt
- 3 wire
- 15 amp circuit

## Island Preparation



- \* Standard cut-out dimensions
- \*\* Cut-out dimensions with side trim

## Outdoor Refrigerated Drawer Dimensions




AC Interface

MODEL NUMBER	RF24D
UL APPROVED	✓
INTERIOR SPACE	5.6 CU. FT.
AVAILABLE FREESTANDING OR BUILT-IN	✓

### Power Requirements:


- 120V 60Hz
- 1800 watt
- 3 wire
- 15 amp circuit

## Island Preparation



- \* Standard cut-out dimensions
- \*\* Cut-out dimensions with side trim

## Outdoor Ice Maker Dimensions




AC Interface

MODEL NUMBER	RF15I
UL APPROVED	✓
ICE PRODUCTION AND STORAGE (MAX.)	35 LBS.
AVAILABLE FREESTANDING OR BUILT-IN	✓

### Power Requirements:

- 120V 60Hz
- 1800 watt
- 3 wire
- 15 amp circuit

## Island Preparation



- \* Standard cut-out dimensions
- \*\* Cut-out dimensions with side trim

## Grill Cart



*CAD-48 48" Grill Cart with BGB48-BQR 48" Grill with Rotisserie and Integrated Sealed Side Burner (as shown)*

DCS by Fisher & Paykel offers the ultimate accessibility in our new line of grill carts. With storage to access to your LP tank, marinating meats, wood chips or grill covers. With assisted chill you now have the perfect place to keep your drinks chilled.


### OPTIONAL ACCESSORIES:

- 24" Side shelves
- Brazilian cherry wood cutting board inserts for the 24" side shelves
- Adjustable feet
- Vinyl cover
- Available in 30", 36", and 48"
- Back bar for CAD-30 cart only


# 30" Grill Cart Dimensions:

Model: CSS-30

front view




side view




Model: CAD-30

front view




side view




# 36" Grill Cart Dimensions:

Model: CAD-36

front view



side view




MODEL	CSS-30	CAD-30	CAD-36	CAD-48
SHIPPING WT.	120 LBS.	120 LBS.	155 LBS.	190 LBS.
SHIPPING DIM. (HEIGHT X WIDTH X DEPTH)	45" X 35" X 35"	45" X 35" X 35"	45" X 40" X 35"	45" X 51" X 35"


# 48" Grill Cart Dimensions:

Model: CAD-48

front view



side view



## Access Drawers




*ADR148 48" Access Drawer (as shown)*

When entertaining in your outdoor kitchen, the last thing you want to do is rush inside for a forgotten item. With the new DCS Access Drawers, you'll have everything you need at your finger tips. These new Drawers offer easy access to your LP tank, marinating meats, and cold beverages.

### ADDITIONAL FEATURES:

- Quick access to your grilling tools
- Bulk access to your wood chips and other large items
- Ice tub access to store your cold beverages
- Prep access for storage of cutting board
- Tank access to easily reach your LP tank
- Patent Pending Roller Rack System™
- Available widths – 48", 36", 30", and 24"
- Stainless steel

## Access Doors




*ADN20X48 48" Access Door (as shown)*

For added convenience, DCS offers Built-in Access Doors that fit perfectly under your built-in grill. They provide an ideal place for accessories and condiments with a convenient condiment shelf built into the door. Like all other DCS outdoor appliances, the access doors are made of weatherproof stainless steel.


### ADDITIONAL FEATURES:

- Easy access to the area underneath the built-in grill
- Available widths – 48", 36", 30" and 24"
- Stainless steel


## Access drawer dimensions



MODEL NUMBER	W	H	D
ADR148	48"	21-7/8"	23-1/2"
ADR136	36"	21-7/8"	23-1/2"
ADR130	30"	21-7/8"	23-1/2"
ADR124	24"	21-7/8"	23-1/2"



## Cutout dimensions






NOTE: The cutout of each corner should be 90° angle in order for the access drawers to fit properly.

\* Island installation to use minimum of 3 vents, 10 square inches per vent (typical).


\*\* For proper support and drawer operation, insure that support boards are installed per Installation Instructions

MODEL	A (+0,+1/8)	B (+0,+1/8)	C	D
ADR148	46"	20"	1.0" min.	1.0" min.
ADR136	34"	20"	1.0" min.	1.0" min.
ADR130	28"	20"	1.0" min.	1.0" min.
ADR124	22"	20"	1.0" min.	1.0" min.

## Access door dimensions



## Cutout dimensions



NOTE: The cutout of each corner should be 90° angle in order for the access drawers to fit properly.

\* Island installation to use minimum of 3 vents, 10 square inches per vent (typical).

MODEL NUMBER	A (+0,+1/8)	B (+0,+1/8)
ADN20x48	46"	20"
ADN20x36	34"	20"
ADN20x30	28"	20"
ADN20x24	22"	20"

## Free Standing Patio Heaters




*PHFS-P4 Free Standing Patio Heater*

It's great to have a portable heat source that you can move seasonally or when your outdoor landscaping changes. The DCS Free Standing Patio Heater easily goes where it will be most useful. With 40,000 Btu's, it provides up to a 20-foot circle of heat, and features an adjustable heat control knob and a safety shut-off. Available for natural gas or liquid propane fuel types and features a weighted base, access door and two wheels for easy moving.

### ADDITIONAL FEATURES:

- Durable, weatherproof stainless steel construction
- Available for natural gas or liquid propane fuel types
- Electronic spark ignition

## Built-in Patio Heaters



*DCS-DRH-48N Built-in Patio Heater*


An outdoor heater in your favorite restaurant always makes a dinner more enjoyable. You can have the same warm experience in your outdoor kitchen with the DCS Built-in Patio Heater. DCS has a long history of producing safe, efficient and high-performance outdoor heaters for restaurants and hotels, and applied this knowledge to produce heaters for residential outdoor settings. The attractive wall-mounted heater features 56,000 Btu's of comfortable heat up to 15 feet away that extends the season for dining outdoors. Our Built-in Patio Heaters feature durable, weatherproof stainless steel construction and are available for natural gas only.

### ADDITIONAL FEATURES:


- Mounts easily to eaves
- Includes extension mounting kit
- Available for natural gas only
- Remote control on-off accessory available (DRH-RMT)



## Free Standing Patio Heater Dimensions



### Minimum Distance to Combustible Material



MODEL NUMBER	PHFS-P4
HEATER BTU/HR	40,000
SAFETY SHUT-OFF	✓

Ordering Data: Please specify gas type (natural or propane) when ordering.

### Gas Requirements:


#### Natural

- 1/2" NPT male with a 3/8" flare adapter
- Operational Pressure: 4" W.C.
- Supply Pressure: 5" to 9" W.C.


#### Propane

- 1/2" NPT male with a 3/8" flare adapter
- Operational Pressure: 10" W.C.
- Supply Pressure: 11" to 14" W.C.


## Built-in Patio Heater Dimensions



45° installation to combustible (side view)




0° installation to combustible (side view)



### Minimum Distance to Combustible Material

Installation to combustible (front view)



MODEL NUMBER	DCS-DRH-48N
HEATER	56,000 BTU/HR
EXTENSION MOUNTING KIT	✓

### Gas Requirements:

#### Natural

- Max. Pressure: 1/2 psig
- Min. Pressure: 6" W.C.
- Manifold Pressure: 5" W.C.
- Internal 5" W.C. regulator

## Side Shelves



*CAD-SK*

Attached to your “CAD” model cart, these 24” Side Shelves offer a sturdy expanse of workspace

## Side Shelf Wood Insert



*CAD-WCB*

Made of Brazilian Cherry, an exotic wood from South America, the Wood Inserts fit snugly into the DCS Side Shelves designed for use on the CAD model carts. Chosen for its quality and beauty, this hard wood is perfectly suited for a chopping board.

## Back Bar




*CAD-BB (for 30” cart only)*

Designed to give you additional space on your CAD-30 model cart. The Back Bar attaches directly to the back of the cart offering you additional work space or simply for your guests to relax and watch the action. The Brazilian Cherry wood inserts are easily removed which allows the stainless steel frame to accommodate containers perfect for holding condiments or the final touches on your culinary delights.




Bend Unit



With the addition of Bend Units, your outdoor kitchen has endless design options. The Bend Unit offers additional storage space. And, when a Solid Surface is added, ample work, preparation and serve space is offered.

MODEL NUMBER	
CAD-BND	BEND UNIT
CAD-BNDT	BEND UNIT SOLID SURFACE

Corner



The Back Corner bracket and Solid Surface is rated to hold 200 lbs. and is the perfect finish to your outdoor kitchen.

MODEL NUMBER	
BND-CNR	BRACKET WHICH HOLDS THE CORNER SOLID SURFACE
BND-CNRT	CORNER SOLID SURFACE

Wrappers and Solid Surfaces



When adding any of the DCS outdoor refrigeration to your Liberty Collection island, adding a Wrapper and Solid Surface top carries on the design from our grilling carts and offers additional work, preparation and serve space.

WRAPPERS

MODEL NUMBER	
WR24RTD	WRAPPER FOR DRAWERS, TAP, REFRIGERATOR
WR15I	WRAPPER FOR ICE MAKER

SOLID SURFACES

MODEL NUMBER	
WR24T	SOLID SURFACE THAT FITS TAP
WRT5I	SOLID SURFACE THAT FITS ICE MAKER
WRT24RD	SOLID SURFACE THAT FITS DRAWERS AND REFRIGERATOR

## Grilling Tools



The exclusive 5-piece stainless steel Grilling Tool Set (BGA-GT5) is made specifically to use with the DCS Professional Grills. The five pieces include: spatula with one serrated edge, a set of tongs, a large fork, a double-sided grates scraper and cleaning brush, and a Grease Management System<sup>®</sup> trough scraper. All tools are made of heavy-gauge stainless steel with ergonomic, slip-resistant handles.



The tool set comes with a heavy-duty canvas grilling apron with deep pockets to accommodate every tool.


apron

## Custom Chopping Board



An essential accessory in preparing food to be grilled is a sturdy Chopping Board. DCS offers a chopping board in solid maple (BGA-MCB). It is custom-made to fit perfectly in the side shelf of the DCS 30" traditional grill carts (BGB-30CSS).

## Drop-on Griddle Plates



BGA-GP



CTGP

Add pancakes and bacon to your outdoor breakfast menu with ease. The Drop-on Griddle Plate (BGA-GP) is made of commercial quality plated stainless steel that insures a level cooking surface and even heat distribution.

Utilize this Drop-on Griddle Plate (CTGP) on any outdoor double side burner which allows you to cook your pancakes, bacon and other foods not typically cooked outside.

## Drain Pump



RFIDP

This sealed-reservoir, compact drain pump is easy to install inside the RFI-15 Outdoor Ice Maker. For use where a floor drain is not readily accessible to pump drain water to the nearest drain. Rated at 8 feet for vertical lift and 20 feet for horizontal run.

## Grill Covers



To protect and care for the DCS Professional Grill all year long, we offer Grill Covers for all sizes and models of DCS built-in and free standing Grills. To offer maximum protection from the elements, they are heavy-duty, black lined vinyl with a Velcro opening in the front.

## Remote Control



Access your DCS Built-in Patio Heater with this Remote Control (DRH-RMT) which command the on/off setting.

## Ice Pack



This cold-assist Ice Pack (BLUICE) fits snugly into the Access Drawers and CAD carts.

## Wok and Wok Ring



Preparing stir-fry for dinner in your outdoor kitchen is another savory possibility with DCS Professional Side Burners. The DCS Wok (CW-20) is with a commercial-style rounded bottom and includes an aluminum lid with hardwood handle (Wok Ring required for use).

The DCS Wok Ring (DCS-WRGS) is designed to fit securely on top of the surface grates on the DCS Side Burners to facilitate wok cooking. The Wok Ring is constructed of stainless steel and accommodates most commercial-style woks.